

VU Research Portal

Studying the effects of skewness of inter-arrival and service times on the probability distribution of waiting times

Romero-Silva, Rodrigo; Shaaban, Sabry; Marsillac, Erika; Hurtado-Hernández, Margarita

published in

Pesquisa Operacional
2020

DOI (link to publisher)

[10.1590/0101-7438.2020.040.00223190](https://doi.org/10.1590/0101-7438.2020.040.00223190)

document license

CC BY

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Romero-Silva, R., Shaaban, S., Marsillac, E., & Hurtado-Hernández, M. (2020). Studying the effects of skewness of inter-arrival and service times on the probability distribution of waiting times. *Pesquisa Operacional*, 40, 1-29. [e223190]. <https://doi.org/10.1590/0101-7438.2020.040.00223190>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

STUDYING THE EFFECTS OF THE SKEWNESS OF INTER-ARRIVAL AND SERVICE TIMES ON THE PROBABILITY DISTRIBUTION OF WAITING TIMES

Rodrigo Romero-Silva^{1*}, Sabry Shaaban²,
Erika Marsillac³ and Margarita Hurtado-Hernandez⁴

Received March 28, 2019 / Accepted May 11, 2020

ABSTRACT. Previous studies have shown that the mean queue length of a GI/G/1 system is significantly influenced by the skewness of inter-arrival times, but not by the skewness of service times. These results are limited because all the distributions considered in previous studies were positively skewed. To address this limitation, this paper investigates the effects of the skewness of inter-arrival and service times on the probability distribution of waiting times, when a negatively skewed distribution is used to model inter-arrival and service times. Subsequent to a series of experiments on a GI/G/1 queue using discrete-event simulation, results have shown that the lowest mean waiting time and the lowest variance of waiting times can be attained with a combination of positive inter-arrival skewness and negative service skewness. Results also show an interesting effect of the skewness of service times in the probability of no-delay in environments with a higher utilization factor.

Keywords: queueing theory, skewness, GI/G/1 queue.

1 INTRODUCTION

The successful management of waiting time has been important to maintain the competitive advantage of manufacturing companies (de Treville et al., 2004; Tersine & Hummingbird, 1995) as it is a principal component of the manufacturing flow time. Today's business environment has

*Corresponding author

¹Universidad Panamericana. Facultad de Ingeniería. Augusto Rodin 498, Ciudad de México, 03920, México – E-mail: rromeros@up.edu.mx – <https://orcid.org/0000-0002-5912-1021>

²Department of Strategy, ESC La Rochelle, 102 Rue de Coureilles, 17024 La Rochelle, France – E-mail: shaabans@esc-larochelle.fr – <https://orcid.org/0000-0002-7629-9622>

³Information Technology, Decision Sciences and Maritime Supply Chain Management Department, Old Dominion University, 5115 Hampton Boulevard, Norfolk, VA 23529, USA – E-mail: emarsill@odu.edu – <https://orcid.org/0000-0003-0117-788X>

⁴Universidad Panamericana. Facultad de Ingeniería. Augusto Rodin 498, Ciudad de México, México – E-mail: mhurtado@up.edu.mx – <https://orcid.org/0000-0002-8705-5578>

evolved into a customer-oriented market, where a significant amount of production is made-to-order (Romero-Silva et al., 2016). This change has created a greater need to accurately estimate an order's flow time to carry out various levels of planning throughout the company and reach target service levels.

Queueing theory has been widely used to study waiting times in stochastic environments by modelling manufacturing and service processes as queueing systems. One of the most relevant conclusions of queueing theory literature (Hopp & Spearman, 2000) is that as a system's utilization increases, mean waiting time increases. Furthermore, as either arrival or service time variability increases, mean waiting time also increases (Buzacott & Shanthikumar, 1993).

Other, less frequently mentioned conclusions are that higher-order parameters of inter-arrival and service time distributions, e.g. skewness and kurtosis, influence the mean waiting time of a GI/G/1 queue (Gross & Juttijudata, 1997; Lemoine, 1976), and that the shape of input distributions also influences the resulting mean waiting time (Gross, 1999). Skewness measures how symmetrical the shape of a distribution is. It is very relevant for probability distributions other than the normal distribution, as most production times distributions are skewed (Dudley, 1963; Inman, 1999). A positive skewness indicates that the mass of the distribution is concentrated towards the left of the distribution and that the right tail is longer than the left one; whereas a negative skewness suggests that the mass is concentrated towards the right and that the longer tail is left-located. On the other hand, kurtosis measures the level of mass concentration towards the tails of the distribution.

Regarding skewness, Whitt (1984a) demonstrated that the mean waiting time of a $H_2/H_2/1$ queue (inter-arrival and service times modelled with a second-order hyperexponential distribution (Tarasov, 2016) with single server) is significantly influenced by the skewness of inter-arrival times, whereas the influence of the skewness of the service times was minimal.

Results from Johnson (1993) suggest that having a good approximation for the distribution of inter-arrival times (up to the third moment) is more critical for reducing the error of waiting time estimation than having a good approximation for the distribution of service times, suggesting a higher influence of inter-arrival times on the mean waiting time. However, she suggested that more research is needed regarding the influence of service time skewness on mean queue length approximations.

Despite their value, the results from the studies of Whitt and Johnson are limited since the probability distributions used were all positively skewed and had high coefficient of variation values, which is a characteristic not present in many real production systems (Doerr et al., 2004).

Therefore, this paper is concerned with investigating whether the influence of the skewness of service times on the mean waiting time is more significant than previously suggested. In addition, this paper will investigate how the skewness of inter-arrival and service times can further influence the distribution of waiting times, beyond the mean, to significantly impact performance. This study will address the following questions:

1. What is the influence of inter-arrival and service time skewness on the mean waiting time for queues with positively and negatively skewed distributions?
2. How does the skewness of inter-arrival and service times influence the distribution of waiting times?

This topic is investigated through the analysis of the waiting times of a single-server queue, classified as GI/G/1. A GI/G/1 queue entails a single server with general service times and independent, general inter-arrival times distributions. This paper contributes to the body of knowledge by assessing the influence of inter-arrival and service time skewness on the distribution of waiting times. In addition, the managerial implications of this research have the potential to contribute to enhanced production performance by providing additional understanding into how to reduce waiting times.

This paper is organized as follows. Section 2 presents a relevant literature review on the estimation of waiting time parameters and its probability distribution. Section 3 describes the methodology and experimental design used for this research. Section 4 presents the results of the study, while the results discussion is shown in Section 5. Finally, Section 6 presents the conclusions of the study.

2 LITERATURE REVIEW

Studies investigating waiting time performance have used two main approaches— analytical methods and discrete-event simulation. Most previous literature has applied queueing theory methods to obtain exact solutions to estimate the waiting time probability distributions for PH/PH/1 (inter-arrival and service times modelled as phase-type distributions with single server) queues (Latouche & Ramaswami, 1999a), using matrix analytic methods (Latouche & Ramaswami, 1999b).

In addition, a number of approximations have been obtained for a variety of queueing systems. Buzacott and Shanthikumar (1993) and Bolch *et al.* (1998) concisely presented a summary of the most relevant GI/G/1 queue approximations. Myskja (1990) presented a list of approximations for the GI/G/1 queue where it can be seen that most approximations consider the coefficient of variation of inter-arrival times (CV_A), the coefficient of variation of service times (CV_S) and the utilization of the server (ρ) as the three most critical factors affecting the mean waiting time (W). Furthermore, Bhat (1993) suggested an approximation for the variance of the waiting time of a GI/G/1 queue where the skewness of the distribution of inter-arrival times (γ_A) and the skewness of the distribution of service times (γ_S) are critical factors.

Based on this previous work, we can see that the k and $k+1$ moments of the distributions of inter-arrival and service times are the factors that most influence the k th moment of the mean waiting time, apart from the utilization factor.

Nevertheless, as Lemoine (1976) proved that higher-order moments also have an influence on mean waiting times, a number of papers have since studied the influence of skewness on the

mean waiting time. For example, Klineciewicz and Whitt (1984) and Johnson and Taaffe (1991) showed that the effect of γ_A on W is higher as CV_A increases, and lower when ρ increases in a GI/M/1 queue. In addition, Sahin and Perrakis (1976) and Whitt (1984a) suggested that the impact of γ_A on W of a GI/G/1 queue is significantly higher than the impact of γ_S on W , and that the variance of the waiting times is significantly affected by both γ_A and γ_S .

Lau and Martin (1987) suggested that lower values of processing times' skewness result in higher throughput. They also suggested that the effect of kurtosis on throughput is a complex behaviour to model because the impact of kurtosis depends on its interaction with other factors, such as CV_S , γ_A and γ_S .

Johnson (1993) also investigated the effect that two and three moment approximations have on the estimation of W . She found that, although both γ_A and γ_S have an effect on W , the highest effect is caused by γ_A , and that the effect of γ_S is reduced when either CV_A or ρ increase. She concluded that more analytical and empirical investigations are needed to extend the conclusions of her study regarding the effect of good service-time approximations.

Powell and Pyke (1994) suggested that negative skewness of processing times results in higher throughput. Furthermore, they show that the effect of kurtosis is difficult to assess. However, they suggest that kurtosis could have an effect on mean throughput up to 5% and that the error of throughput estimation could be as high as 28% when only the first two moments of the distribution of processing times are considered.

More recently, Wu et al. (2018) developed a three moment approximation for the GI/G/1 queue. They stated that a two-moment approximation should be used when CV_A is less than one. If CV_A is equal or higher than one, they suggested using a three-moment approximation.

In addition, Romero-Silva et al. (2019) studied the effect of skewness on the inter-departure times distribution. They found that combination of negative inter-arrival skewness and positive service skewness reduced the coefficient of variation of inter-departure times, as well as the absolute values for the Lag-1 inter-departures autocorrelation, whereas the opposite was true for a combination of positive inter-arrival skewness and negative service skewness.

In an alternate perspective to the above methodologies, Brandwajn and Begin (2009) studied the effects of the higher order properties of the service times' distribution on the distribution of the number of customers waiting in an M/G/1 queue. They found that the probability distribution tail of the number of customers waiting in queue is influenced by γ_S since a higher value of γ_S resulted in a shorter tail, reducing the probability of finding a higher number of customers in the system at any moment.

Therefore, the purpose of this paper is to extend the conclusions suggested by previous studies regarding the effects of the skewness of the distributions of inter-arrival and service times on the distribution of waiting times. Specifically, this paper investigates whether the impact of the skewness of service times remains minimal when negatively skewed data with low values of CV are considered.

3 METHODOLOGY

To study whether the skewness of service times has a significant impact on the distribution of waiting times, negatively skewed distributions need to be considered, since previous studies only considered positively skewed distributions. Additionally, as it was important to isolate the effect of skewness on the waiting times, we alternate between positively and negatively skewed random variates, without varying the values of the mean, variance and kurtosis.

Therefore, the recommendation of Khalil et al. (2008) to model inter-arrival and service times with the triangular distribution was followed, as its parameters allow having positive and negative skewness in different experiments, while keeping the values of the mean, variance and kurtosis constant (kurtosis for the triangular distribution equals $-\frac{3}{5}$, irrespective of the distribution parameters). This particularity allows the experimental design to exclusively assess the impact of the skewness on performance, as previous studies have done (see, e.g. Romero-Silva et al., 2019). In addition, the triangular distribution can be used to model simple estimates (Law, 2014) of real random variates as the distributions of some real production processes have low squared coefficient of variation values (Doerr et al., 2004).

Describing the variability of waiting times with exact formulas, whenever non-phase-type distributions are involved, such as the triangular distribution, is challenging (Wolff, 1970). Discrete-Event Simulation (DES) has been used to address this limitation because it is a methodology that can reproduce the behavior of a queueing network better than other techniques (Gue and Kim, 2012; Lagershausen & Tan, 2015). Hence, DES was used as the modelling paradigm for this experimental study.

Four waiting time responses were selected in this study to capture the effect of γ_A and γ_S on the distribution of waiting times. Typical moment-related measures were chosen as responses, namely, the mean (W), variance (σ^2_W) and skewness (γ_W) of the distribution of waiting times, as well as the probability that the customer does not wait in queue ($PW0$). However, the actual responses W , σ^2_W , γ_W and $PW0$ reported in this study are the averages of the values of each moment-related measure throughout the 200 replications. In Table 1, we can find a reference table of all the variables and responses, as well as their abbreviations.

Following the recommendations of Yang et al. (2008) and Chen and Zhou (2010), 200 independent replications, with lengths of 10,000 customers each, were used to estimate the study's parameters. Simio Version 9.132 (Kelton et al., 2014) was used as the simulation software to run the experiments.

To determine the length of the transient, Welch's (1983) method was used. Five initial replications were carried out to measure the number of system customers, leading to the conclusion that around 1,000 initial customers were needed to reach the steady-state. This conclusion was reached by comparing the expected number of customers for the given experimental factors, which were estimated by using Hopp and Spearman's (2000) approximation formula for mean number of customers in a GI/G/1 steady-state queue, against the moving averages obtained in

Table 1 – List of variables and their abbreviations.

Exp. factor	Abbrev.	Performance measures	Abbrev.	Exp. responses	Abbrev.
Inter-arrival time skewness	γ_A	Waiting time of customer j in replication i , experiment k	w_{kij}	Mean waiting time	W
Service time skewness	γ_S	Mean waiting time of all customers in replication i , experiment k	\acute{w}_{ki}	Waiting time variance	σ_W^2
Server's utilization factor	ρ	Mean waiting time of all replications, experiment k	W_k	Waiting time skewness	γ_W
Inter-arrival time coefficient of variation	CV_A	Waiting time variance of all replications, experiment k	σ_{Wk}^2	Intra-group mean waiting time	IGV_W
Service time coefficient of variation	CV_S	Waiting time skewness of all replications, experiment k	γ_{Wk}	Intra-group waiting time variance	IGV_{σ^2}
System's coefficient of variation	CV	Probability of no-delay in replication i , experiment k	$p0_{ki}$	Intra-group waiting time skewness	IGV_{γ}
Experiment number	k	Average no-delay probability in all replications, experiment k	$PW0_k$	Intra-group probability of no-delay	IGV_{PW0}
Replication number	i	Intra-group variation for the mean waiting time, experiment k	IGV_{Wk}		
Customer number	j				
Number of replications	R				
Number of customers per replication	N				

Welch's method using the simulation results (see Romero-Silva et al. (2019) for an example of this method).

Thus, if w_{kij} is the waiting time of customer j in replication i , and experiment k ; N is the number of customers per replication (10,000), and R is the number of replications (200); then the mean waiting time of all customers in replication i for experiment k (\acute{w}_{ki}) was calculated as:

$$\acute{w}_{ki} = \frac{1}{N} \sum_{j=1}^N w_{kij} \text{ for all } i = 1, 2, \dots, R \quad (1)$$

In addition, the mean waiting time of all replications in experiment k (W_k), the waiting time variance of all replications in experiment k (σ_{wk}^2), and the waiting time skewness of all replications in experiment k (γ_{wk}) were calculated in the following manner:

$$W_k = \frac{1}{R} \sum_{i=1}^R \hat{w}_{ki}, \text{ for all } k = 1, 2, \dots, 252 \quad (2)$$

$$\sigma_{wk}^2 = \frac{1}{R} \sum_{i=1}^R \left[\frac{1}{N-1} \sum_{j=1}^N (w_{kij} - \hat{w}_{ki})^2 \right] \quad (3)$$

$$\gamma_{wk} = \frac{1}{R} \sum_{i=1}^R \left(\frac{\frac{1}{N} \sum_{j=1}^N (w_{kij} - \hat{w}_{ki})^3}{\left[\frac{1}{N-1} \sum_{j=1}^N (w_{kij} - \hat{w}_{ki})^2 \right]^{3/2}} \right) \quad (4)$$

Furthermore, the probability that a customer does not wait for service (no-delay) in replication i , experiment k , ($p0_{ki}$) was calculated as follows:

$$p0_{ki} = \frac{\text{number of customers with zero waiting time} \in \text{the } i\text{th replication}}{N} \quad (5)$$

Thus, the probability of no-delay for all customers in experiment k was estimated as:

$$PW0_k = \frac{1}{R} \sum_{i=1}^R p0_{ki} \quad (6)$$

Four factors were considered as independent variables: γ_A , γ_S , CV of the system and ρ , as CV_A , CV_S and ρ have been shown to have an interaction with the effects of γ_A and γ_S . Note that since the objective is to identify the interactions of the probability distributions and not the interactions among different levels of general variability, CV_A was set equal to CV_S , so that the results are not influenced by variability interactions.

Three factor levels were defined for γ_A and γ_S , representing a negative, zero and positive skewness, while two different values of the system's CV were defined to further study the interaction between skewness, CV and ρ . Moreover, several values of ρ were considered to represent low, medium and very high traffic intensities. Thus, a total of 252 different experiments were run.

Table 2 shows the factors and their actual experimental values. The initial set of parameter values for the triangular distribution (a – minimum value, m – mode, b – maximum value) used to model inter-arrival times were taken from Khalil et al. (2008), who considered different shapes of the triangular distribution. However, since the parameters they considered to build positive, neutral and negative skewness contained distributions with different means and variances, we needed to adjust their parameters to meet the requirements of the current study regarding equal means and variances for experiments, with varying skewness values.

Thus, based on the original parameters in Khalil et al. (2008) regarding a positively skewed triangular distribution ($a = 2$, $m = 3$, $b = 6$), the resulting standardized moments of the triangular

Table 2 – Experimental factors and their levels.

Factor	Factor levels		
	-1	0	+1
Skewness of inter-arrival times (γ_A)	-0.42 or -0.57	0	0.42
System's CV	0.2318		0.3642
Server's utilization (ρ)	0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.85, 0.90, 0.95, 0.97, 0.98, 0.99		
Skewness of service times (γ_S)	-0.42 or -0.57	0	0.42 or 0.57

distribution were: mean = 3.67, standard deviation = 0.85, and skewness = 0.42. In order to consider an equivalent triangular distribution with equal mean and standard deviation but negative skewness, we calculated the minimum value of parameter a that will result in a mean of 3.67 and a standard deviation of 0.85, by using a second order equation that equalled the coefficient of variation of the positively and negatively skewed triangular distributions. With the resulting value ($a = 1.26$), the maximum value of parameter m that will result in a mean of 3.67 and a standard deviation of 0.85 was calculated in order to attain a negative skewness. Finally, as the mean and standard deviation needed to be equal, there was only one possible value of b , considering the previous results obtained from a and m . These calculations resulted in a triangular distribution with a skewness of -0.57.

To model a non-skewed triangular distribution for inter-arrival times, we considered that the mode was equal to the mean of the triangular distribution ($m = 3.67$) and, based on that initial value, we calculated the value of b that would result in a mean of 3.67 and a standard deviation of 0.85. Then we calculated the only possible value of a , given the values of m and b . A graphical representation of the resulting triangular density probability functions is presented in Figure 1 (a).




Figure 1 – Density functions for triangular distributions modelling inter-arrival times with (a) CV = 0.23 and (b) CV = 0.36.

In addition, based on the original parameters of Khalil et al. (2008) of a negatively skewed triangular distribution ($a = 0$, $m = 3$, $b = 4$), the resulting standardized moments of the triangular distribution were: mean = 2.33, standard deviation = 0.85, and skewness = -0.42. Taking into consideration that the mean and standard deviation should remain constant, the parameters for a positively and non-skewed distribution were calculated in a similar manner as before. A graphical representation of the resulting triangular density functions resulting from this exercise can be found in Figure 1 (b).

On the other hand, the parameters for the triangular distributions modelling the service times were calculated by taking into account the fact that for a single server queue, ρ = mean service time/mean inter-arrival time. Therefore, the mean service time was calculated based on the experimental values of ρ and the corresponding experimental mean inter-arrival time. With the mean service time value and, given that CV_S should be equal to CV_A (by experimental design), we calculated the standard deviation for the service times. As the mean and the standard deviation of service times were now known, the parameters of the triangular distribution (a , m and b) were then calculated with the same procedure used to calculate the parameters of the distributions of inter-arrival times for positively, negatively and non-skewed distributions. The full experimental values of inter-arrival and service times stemming from this procedure are shown in the Appendix, Table A1.

Groups of nine experiments with the same values of CV and ρ , but different values of γ_A and γ_S , were constituted to directly assess the impact of γ_A and γ_S on the distribution of waiting times, resulting in a total of 28 groups. For instance, Group A was constituted of experiments where $CV = 0.2318$ and $\rho = 0.1$ (see Table A1 in the Appendix).

ANOVA tests for each group were run to gauge whether a difference in the values of γ_A and γ_S created statistically significant differences between the responses. In addition, Duncan's multiple range tests (Duncan, 1955) were carried out for each group to see whether statistical differences between experiments within the group existed.

Furthermore, for each experimental response, an intra-group variation (IGV) calculation was carried out by dividing the actual value of the response in each experiment by the average of the results of the nine experiments included in the corresponding group, resulting in five additional responses (IGV_W , IGV_{σ^2} , IGV_{γ} and IGV_{PWO}), whose values oscillate around 1. As IGV values represent a deviation from the average of the group, they can be used to compare inter-group experiments.

For example, to calculate the intra group variation for the mean waiting time of experiment k (IGV_{Wk}), included in Group x , the following formula was used:

$$IGV_{Wk} = \frac{W_k}{\frac{1}{9} \sum_{m \in Group_x} W_m} \quad (7)$$

Therefore, IGV calculations were used to estimate the statistical impact of each independent variable, as well as the interactions between the variables on each of the five responses, by carrying

out ANOVA tests of the impact of single factors and their interactions. All statistical tests were run using R (The R Foundation, 2019).

Finally, to simplify the analysis of the results, correlation tests between pairs of responses were completed, resulting in high and statistically significant correlations between W and σ^2_W ; therefore, only the results for W , γ_W and $PW0$ were further analyzed.

4 RESULTS

After conducting the ANOVA and Duncan's multiple range tests, some groups of experiments with $\rho > 0.90$ yielded non-statistically significant differences among experiments while some experiments with $\rho < 0.50$ resulted in a $W = 0$. Therefore, the results presented in this section do not include some of these groups of experiments. Experimental results for these experiments can be found in Table A3 in the Appendix, whereas Table A4 in the Appendix shows the Duncan's test results.

4.1 Mean waiting time

The impact of γ_A and γ_S on W at different levels of ρ is shown in Figure 2 and Figure 3. From those figures it can be seen that the effect of the skewness of inter-arrival and service times on the mean waiting time diminishes as the server's utilization increases because the relative differences among the experiments are reduced with increasing values of server's utilization. The results shown in Figure 2 and Figure 3 support previous conclusions from other studies (Johnson, 1993; Whitt, 1984a) as they demonstrate the impact of γ_A on W , i.e. positive γ_A reduces W . However, they also show that γ_S has a significant influence on W , as the differences between the values of W in experiments with different γ_S but equal γ_A are considerable. For example, for experiments with $CV = 0.2318$, $\rho = 0.8$ and positive γ_A (see Figure 2), the resulting W values are 0.2959, 0.3115 and 0.3291 for negative, zero and positive γ_S values (see Table A3 in the Appendix), respectively. This entails more than 10% deviation between the maximum and minimum values, when compared with the average of these three results. Moreover, the 5% difference between the experiment with positive γ_S and that with zero γ_S is also sizeable, showing that the impact of γ_S on W is significant even for moderate changes. The results also show that for every experimental value of γ_A , a negative γ_S produces the best W values.

The effect of both γ_A and γ_S on W seems to decrease with a higher CV value, as the values of IGV_W for experiments with a $CV = 0.3642$ suggest (see Figure 3). Figure 3 shows how lower γ_S values decrease W . Furthermore, the results presented in Figure 2 and Figure 3 indicate that a combination of positive γ_A and negative γ_S produces the best results in terms of W .

The ANOVA test for the effects of the experimental factors on IGV_W confirms the aforementioned impact of γ_A on W , as this factor, together with its interactions with ρ or CV , has the highest percentage contribution to the variation of IGV_W , as shown in Table 3. It can also be observed that the effect of γ_S on IGV_W is significant, albeit not as important as that of γ_A .




Figure 2 – IGV values for W with different combinations of γ_A and γ_S and a $CV = 0.2318$.




Figure 3 – IGV values for W with different combinations of γ_A and γ_S and a $CV = 0.3642$.

4.2 Waiting time skewness and probability of no-delay

Figure 4 shows various interactions among different responses and factors. The top row plots shown in Figure 4 exhibit the results of IGV_γ (intra-group variation of waiting time skewness). The top-left plot indicates that a positive γ_A causes an increase in γ_W , which is directly related to W results, as a positive γ_A decreases the mean waiting times, and a higher CV value diminishes the impact of γ_A on both γ_W and W . This is an opposite result from the effect of the interaction between CV and γ_S on γ_W (top, middle-left plot), where a higher CV value creates a higher effect of γ_S on γ_W . Interestingly, the effect of γ_S on γ_W is different for experiments with different CV values. Positive γ_S decreased γ_W in experiments with $CV = 0.2318$, whereas a positive γ_S increased γ_W in experiments with $CV = 0.3642$.

The plot (top, middle-right of Figure 4) of the interaction between ρ and γ_A suggests that with higher values of ρ , the effect of γ_A on γ_W drastically diminishes. More interestingly, the inter-




Figure 4 – Main interactions among γ_A and γ_S and CV and ρ for the responses of IGV_Y and IGV_{PW0} .

Table 3 – ANOVA test of effects on IGV_W .

	Df	Sum Sq	Mean Sq	% Contribution	F value	Pr(>F)
CV	1	0.0	0.0	0.0%	0.0	0.9992
ρ	1	0.0	0.0	0.0%	0.0	0.9995
γ_A	1	454.3	454.3	37.4%	50603.9	0.0000
γ_S	1	32.4	32.4	2.7%	3610.7	0.0000
$CV:\rho$	1	0.0	0.0	0.0%	0.0	0.9999
$CV:\gamma_A$	1	73.6	73.6	6.1%	8202.4	0.0000
$\rho:\gamma_A$	1	527.5	527.5	43.5%	58759.0	0.0000
$CV:\gamma_S$	1	9.1	9.1	0.8%	1018.2	0.0000
$\rho:\gamma_S$	1	17.1	17.1	1.4%	1905.9	0.0000
$\gamma_A:\gamma_S$	1	0.2	0.2	0.0%	18.7	0.0000
$CV:\rho:\gamma_A$	1	91.7	91.7	7.6%	10216.6	0.0000
$CV:\rho:\gamma_S$	1	7.4	7.4	0.6%	826.0	0.0000
$CV:\gamma_A:\gamma_S$	1	0.1	0.1	0.0%	8.0	0.0046
$\rho:\gamma_A:\gamma_S$	1	0.4	0.4	0.0%	40.9	0.0000
$CV:\rho:\gamma_A:\gamma_S$	1	0.0	0.0	0.0%	0.0	0.8363
Residuals	25184	226.1	0.0	0.0%		

action between ρ and γ_S (top-right plot in Figure 4) shows that the effect of γ_S on γ_W stabilizes and reverses as ρ increases, at least for $\rho \leq 0.85$.

In addition, the bottom row of Figure 4 depicts the effect of various factor interactions on IGV_{PW0} (intra-group variation of no-delay probability) results. These results *should* be the opposite as the results from W , as higher W values will imply lower $PW0$. Nevertheless, various results regarding the effect of the factors on $PW0$ suggest a different behavior. For instance, a positive γ_A , which reduces W , also diminishes $PW0$ with a low CV value; a negative γ_S , which reduces W , also diminishes $PW0$ for the two CV values considered; a positive γ_A reduces $PW0$ for $0.70 < \rho < 0.95$ and negative γ_A increases $PW0$ for the same range of ρ values; and negative γ_S reduces $PW0$ for $\rho > 0.70$ while positive γ_S increases $PW0$ for the same range.

Furthermore, the interactions of γ_A and γ_S with ρ on IGV_{PW0} show very intriguing behavior as the curves of the interaction between γ_A and ρ suggest a non-linear behavior: the effect of zero γ_A shows a decreasing pattern with increasing ρ values, and the effect of γ_S on $PW0$ seems to increase as ρ increases, which contrasts with the results concerned with W , where ρ created a limit on the effect of the skewness on W .

In fact, the effect of γ_S on $PW0$ appears to be very significant, as the percentage contribution of γ_S (including its interaction with ρ) to the variation of IGV_{PW0} is very high (more than 64%, as is shown in Table 4). Interestingly, the ANOVA test for the effects on IGV_{PW0} also suggests a relevant interaction between γ_A and γ_S on the values of $PW0$, an interaction that shows that

γ_S behaves as expected with positive γ_A , i.e. negative γ_S increases P_{W0} as it reduces W , but for negative or zero γ_A , a negative γ_S reduces P_{W0} (see Figure A1 in the Appendix).

Table 4 – ANOVA test of the effects on IGV_{PW0} .

	Df	Sum Sq	Mean Sq	% Contribution	F value	Pr(>F)
CV	1	0.0	0.0	0.0%	0.0	0.8293
ρ	1	0.0	0.0	0.0%	0.0	0.9643
γ_A	1	0.2	0.2	1.4%	9.2	0.0024
γ_S	1	5.4	5.4	37.1%	238.1	0.0000
CV: ρ	1	0.0	0.0	0.0%	0.0	0.9641
CV: γ_A	1	0.9	0.8	5.8%	37.4	0.0000
ρ : γ_A	1	1.8	1.8	12.3%	78.9	0.0000
CV: γ_S	1	0.1	0.1	0.4%	2.5	0.1165
ρ : γ_S	1	3.9	3.9	26.6%	170.5	0.0000
γ_A : γ_S	1	0.5	0.5	3.4%	21.6	0.0000
CV: ρ : γ_A	1	1.4	1.4	9.9%	63.7	0.0000
CV: ρ : γ_S	1	0.0	0.0	0.0%	0.1	0.7668
CV: γ_A : γ_S	1	0.1	0.1	0.8%	5.3	0.0213
ρ : γ_A : γ_S	1	0.2	0.2	1.5%	9.8	0.0017
CV: ρ : γ_A : γ_S	1	0.1	0.1	0.4%	2.8	0.0954
Residuals	35984	815.6	0.0	0.2%		

To get a comprehensive understanding of the effect of skewness on waiting times, we decided to further investigate the effect of γ_A and γ_S on the curve of the distribution of non-zero waiting times. Figure 5 gives an example of these effects by showing three plots comparing combinations of contrasting values of γ_A and γ_S for different levels of ρ . These plots confirm the main findings of this study, namely, a combination of positive γ_A and negative γ_S (dotted line) reduces W by shortening the tail of the distribution of waiting times and increasing γ_W and P_{W0} . Contrarily, a combination of negative γ_A and positive γ_S (solid line) increases W by extending the tail of the distributions of waiting times and reducing γ_W and P_{W0} . However, this difference is significantly reduced with increasing values of ρ (right plot).

5 DISCUSSION

Previous studies have suggested that the mean waiting time is minimally affected by the skewness of the distribution of service times (Johnson, 1993; Whitt, 1984a). Adding nuance to this understanding, results obtained from this study show that, although the impact of the skewness of inter-arrival times is higher than that of the skewness of service times, the skewness of service times should also be considered when estimating the mean waiting time, particularly when opposing values of inter-arrival and service skewness are present, as the lowest values for the mean waiting time, for all groups of experiments, were found in experiments with positive values of




Figure 5 – Approximated density curves of non-zero waiting times for experiments with $CV = 0.2318$.

γ_A and negative values of γ_S . These results extend those of Johnson (1993) and Whitt (1984a), since they previously discovered an irrelevant effect of γ_S on W as they exclusively considered positively skewed distributions.

Thus, to answer the first research question of this study (What is the influence of the skewness of inter-arrival and service times on the mean waiting time for queues with positively and negatively skewed distributions?), it was found that the effect of inter-arrival skewness on the mean waiting time is negative, i.e. the higher the value of γ_A , the lower the value of the mean waiting time. Contrarily, the effect of service time skewness is positive: the higher the value of γ_S , the higher the value of the mean waiting time. However, both of these effects are limited when the server's utilization increases as statistically significant differences between experiments with varying values of γ_A and γ_S were not found for scenarios with a higher system load ($\rho > 0.90$). This a result that is consistent with heavy-traffic behavior since higher moments than the first two have little effect on the performance of queueing systems when the utilization factor is high (Romero-Silva et al., 2019; Wu et al., 2016).

To answer the second research question of this study (How does the skewness of inter-arrival and service times influence the characteristics of the distribution of waiting times?), it was found that a combination of positive γ_A and negative γ_S also reduces the variance of waiting times, while increasing the skewness of the distribution of waiting times, resulting in a “taller” curve with a shorter tail. The combination of negative γ_A and positive γ_S resulted in the opposite results. Again, these results are highly dependent on the utilization factor, as higher values of ρ resulted in opposite effects of γ_A and γ_S regarding γ_W and $PW0$.

It is interesting to note that the experimental results showed that even though γ_A is more significant in reducing the mean waiting times of a GI/G/1 queue than γ_S , the effect of γ_S on the resulting $PW0$ is significantly bigger than that of γ_A , indicating that practitioners should take

into account both γ_A and γ_S to increase different performance measurements related to waiting times. Moreover, we found a counterintuitive effect of γ_S on PW_0 since PW_0 was reduced with a negative γ_S , contradicting expected results that PW_0 should increase with negative γ_S as a negative γ_S reduces W for the same CV value. This result can be compared with another counterintuitive result presented by Whitt (1984b) where it was shown that PW_0 was reduced when CV_S decreased and $CV_A > 1$ in GI/G/1 queues. Thus, as Whitt explains, more variability caused by increasing values of γ_S , instead of increasing values of CV_S , produces higher variance in the resulting waiting times with the associated higher mean waiting times, which in turn results in longer tails of the distribution of waiting times and a higher probability of no-delay (the left tail of the distribution) when $\rho > 0.70$. Moreover, the effect of γ_S on IGV_{PW_0} was found to be more important with increasing ρ values, a result that contrasts with the limit that ρ imposes on the effect that γ_A and γ_S have on W .

Some results of this study confirm the conclusions of Johnson (1993) regarding the effect of γ_A and γ_S on the mean queue length when CV_A , CV_S and ρ increase, since experiments with the highest CV and ρ resulted in the lowest differences in IGV_W for experiments within the same group. This means that as ρ increases, the mean waiting times become less sensitive to a change in the value of either γ_A or γ_S , showing the limiting effect of utilization on variability, which has been previously reported by various authors (Al-Hanbali et al., 2011; Romero-Silva et al., 2019).

Whitt (1984a) reported some differing conclusions on the effect of γ_S on mean queue length, as he showed that for a CV_A^2 value equal to 2, a higher value of γ_S created a lower mean queue length, although the variation was very small. However, when carrying out a series of calculations for a system with Erlang inter-arrivals and a CV_A^2 equal to 0.5, he found that higher values of γ_S created higher values of mean queue length, a result that corresponds to the results of the current study.

These divergent research outcomes suggest that more studies are needed to discover whether contrasting values of CV_A have an influence on the effect of γ_S on the mean queue length and the mean waiting time, as it would seem that when CV_A is lower than 1, higher γ_S results in higher mean waiting times; whereas when CV_A is higher than 1, higher γ_S results in lower mean waiting times.

On the other hand, other study results here differ from those provided by Brandwajn and Begin (2009) regarding the tail of the distribution of the M/G/1 queue length, as they found that a higher value of γ_S caused a shorter tail when a CV higher than 1 was considered. Experimental results from the current study show the opposite effect, as higher values of γ_S cause a larger tail for the waiting times distribution. Thus, results from the current study suggest that varying the skewness of input distributions can be a good management tool to decrease the risk of having a customer wait a very long time or not at all.

Furthermore, Whitt's results (1984a) showed that the maximum percentage difference in mean waiting times that can be attained by varying positive values of γ_A in a $H_2/H_2/1$ queue with $\rho = 0.70$ reached 30% improvement. The results of the current study suggest that by varying both γ_A

and γ_S the biggest difference in mean waiting times between experiments reached 57% when $CV = 0.2318$ and $\rho = 0.70$, whereas when only γ_S was modified, the improvement approached 19% in experiments with positive γ_A . This shows the importance of considering both γ_A and γ_S and the impact of γ_S on the performance of single server queues with triangular distributions.

Moving forward, results from this paper suggest that managers and researchers of GI/G/1 queues with low CV_A and CV_S values should consider the effect of service time skewness on the estimation of the mean waiting time, the probability of no-delay and waiting times distribution tail in order to get accurate estimations. Therefore, approximation methods estimating mean waiting times for GI/G/1 queues with $CV < 1$ should consider both inter-arrival and service skewness in their approximation procedures (see, e.g. Whitt, 1989; Wu et al., 2018).

5.1 Limitations of the study and future research

Although the selection of DES for this study was well-suited for this application, as with all modelling methodologies, it contains assumptions and limitations which detract from its true replication of reality. Moreover, experimental analysis, although enhancing control and providing structure, limits the generalizability of the conclusions provided by the experiments, in comparison with analytical approaches.

Given these parameters, the results of this study are limited to only the particular model studied here, although the results do provide valuable practical and theoretical insights on the effects of the skewness of inter-arrival and service times on the probability distribution of waiting times. Future research streams are needed to determine if the insights found here are complementary and applicable for multiple server (GI/G/m) systems, serial lines and single-server queues with high values of CV_A and CV_S .

In addition, this study is based on a limited sample of experiments, with few variations among the values of the factors, and only investigated low-variability systems with triangular distributions, by incorporating only two CV values. Thus, more research that considers probability distributions with contrasting values of CV is needed, as well as additional studies that consider much higher and lower γ_A and γ_S values in order to study the impact that different magnitudes of skewness have on the performance of single-server queues. However, since this is the first study that explored the effect of negatively skewed distributions on mean waiting times, it provides us with further motivation to investigate a wider range of skewness values, as it was found that varying the service time skewness could lead to an improvement of up to 19% in the performance of the queue. Furthermore, these results remain applicable for some realistic contexts in terms of CV values, as it has been shown that some production processes have low values of CV (Doerr et al., 2004; Inman, 1999) and very similar skewness magnitudes (Slack, 1982) than the ones considered in this paper.

More studies are needed to investigate the actual impact of the kurtosis on the performance of single queues since previous studies (Powell & Pyke, 1994) have shown that it could impact mean throughput up to 5% in saturated production lines and since the experimental design of

this current study specifically omitted this impact by using the triangular distribution, which has constant kurtosis, with the intention of exclusively assessing the impact of skewness.

Lastly, it might be argued that the applicability of the results is limited because the combination of inter-arrival and service skewness that reduced the mean waiting times in this study can be difficult to find in real contexts, as negatively skewed service times distributions are rare. However, this study shows that the difference in mean waiting times between an experiment with positive service skewness and zero service skewness, both commonly present in real scenarios (Inman, 1999), is significant and it also reduces mean waiting time. Furthermore, it has been shown (Dudley, 1963) that changing from positively skewed service processes to a process with no skewness can be attained in practice.

6 CONCLUSIONS

This paper investigated the interactions among the probability distributions of inter-arrival and service times and their effects on the distribution of waiting times, and contributes to the current literature by filling a long-standing gap in previous research. Experimental analysis of a single-server queue with triangular distributions of inter-arrival and service times showed that the mean waiting time was influenced by both inter-arrival and service skewness, and that such influence is limited by increasing CV and server's utilization values.

Results suggest that a combination of positive inter-arrival skewness and negative service skewness result in smaller values of mean waiting times, a reduced variance of waiting times, a higher probability of no-delay, and an incremental skewness and shorter tail for the distribution of waiting times, increasing the performance of the GI/G/1 queue when the CV of inter-arrival times is lower than 1 and the server's utilization is low or moderate. In contrast, negative service skewness in higher traffic environments will result in a lower probability of no-delay while at the same time producing lower mean waiting times and variance of waiting times.

Future research is needed to more comprehensively study how the coefficient of variation of inter-arrival times influences the effect service skewness on the mean waiting time, as previous results considering a CV of inter-arrival times higher than 1 have found contrary results to the ones reported in the current study.

References

- [1] AL-HANBALI A, MANDJES M, NAZARATHY Y & WHITT W. 2011. The Asymptotic Variance of Departures in Critically Loaded Queues. *Adv. Appl. Probab.* **43**: 243–263. <https://doi.org/http://www.jstor.org/stable/23024534>
- [2] BHAT V N. 1993. Approximation for the variance of the waiting time in a GI/G/1 queue. *Microelectron. Reliab.* **33**: 1997–2002. [https://doi.org/http://dx.doi.org/10.1016/0026-2714\(93\)90356-4](https://doi.org/http://dx.doi.org/10.1016/0026-2714(93)90356-4)

- [3] BOLCH G, GREINER S, DE MEER H & TRIVEDI K S. 1998. *Queueing Networks and Markov Chains*, 1st ed. John Wiley & Sons, Inc., New York, NY.
- [4] BRANDWAJN A & BEGIN T. 2009. A Note on the Effects of Service Time Distribution in the M/G/1 Queue, in: Kaeli D, Sachs K. (Eds.), *Computer Performance Evaluation and Benchmarking*. Springer Berlin Heidelberg, pp. 138–144. https://doi.org/10.1007/978-3-540-93799-9_9
- [5] BUZACOTT J & SHANTHIKUMAR J G. 1993. *Stochastic Models of Manufacturing Systems*, 1st ed. Prentice-Hall, Englewood Cliffs, New Jersey.
- [6] CHEN N & ZHOU S. 2010. Simulation-based estimation of cycle time using quantile regression. *IIE Trans.* **43**: 176–191. <https://doi.org/10.1080/0740817X.2010.521806>
- [7] DE TREVILLE S, SHAPIRO R D & HAMERI A.-P. 2004. From supply chain to demand chain: the role of lead time reduction in improving demand chain performance. *J. Oper. Manag.* **21**: 613–627. <https://doi.org/http://dx.doi.org/10.1016/j.jom.2003.10.001>
- [8] DOERR K H, FREED T, MITCHELL T R, SCHRIESHEIM C A & ZHOU X (TRACY). 2004. Work Flow Policy and Within-Worker and Between-Workers Variability in Performance. *J. Appl. Psychol.* **89**: 911–921. <https://doi.org/http://dx.doi.org/10.1037/0021-9010.89.5.911>
- [9] DUDLEY N A. 1963. Work-Time Distributions. *Int. J. Prod. Res.* **2**: 137–144. <https://doi.org/10.1080/00207546308947819>
- [10] DUNCAN D B. 1955. Multiple Range and Multiple F Tests. *Biometrics* **11**: 1–42. <https://doi.org/10.2307/3001478>
- [11] GROSS D. 1999. Sensitivity of output performance measures to input distribution shape in modeling queues.3. Real data scenario. In: *Simulation Conference Proceedings*, 1999 Winter. pp. 452–457 vol.1. <https://doi.org/10.1109/WSC.1999.823108>
- [12] GROSS D & JUTTIJUDATA M. 1997. *Sensitivity of output performance measures to input distributions in queueing simulation modeling*.
- [13] GUE K R & KIM H H. 2012. Predicting departure times in multi-stage queueing systems. *Comput. Oper. Res.* **39**: 1734–1744. <https://doi.org/http://dx.doi.org.ezproxy.depaul.edu/10.1016/j.cor.2011.10.011>
- [14] HOPP W & SPEARMAN M. 2000. *Factory Physics*, Second. ed. McGraw-Hill.
- [15] INMAN R R. 1999. Empirical Evaluation of Exponential and Independence Assumptions in Queueing Models of Manufacturing Systems. *Prod. Oper. Manag.* **8**: 409–432. <https://doi.org/10.1111/j.1937-5956.1999.tb00316.x>

- [16] JOHNSON M A. 1993. An empirical study of queueing approximations based on phase-type distributions. *Commun. Stat. Model.* **9**: 531–561. <https://doi.org/10.1080/15326349308807280>
- [17] JOHNSON M A & TAAFFE M R. 1991. A graphical investigation of error bounds for moment-based queueing approximations. *Queueing Syst.* **8**: 295–312. <https://doi.org/10.1007/BF02412257>
- [18] KELTON W D, SMITH J S & STURROCK D T. 2014. *Simio and Simulation: Modeling, Analysis, Applications*, 1st ed. Simio LLC, Sewickley, PA.
- [19] KHALIL R A, STOCKTON D J & FRESCO J A. 2008. Predicting the effects of common levels of variability on flow processing systems. *Int. J. Comput. Integr. Manuf.* **21**: 325–336. <https://doi.org/http://dx.doi.org/10.1080/09511920701233472>
- [20] KLINCEWICZ J G & WHITT W. 1984. On approximations for queues, II: Shape constraints. *AT&T Bell Lab. Tech. J.* **63**: 139–161. <https://doi.org/10.1002/j.1538-7305.1984.tb00006.x>
- [21] LAGERSHAUSEN S & TAN B. 2015. On the Exact Inter-departure, Inter-start, and Cycle Time Distribution of Closed Queueing Networks Subject to Blocking. *IIE Trans.* **47**: 673–692. <https://doi.org/10.1080/0740817X.2014.982841>
- [22] LATOUCHE G & RAMASWAMI V. 1999a. PH Distributions. In: Latouche G, Ramaswami V. (Eds.), *Introduction to Matrix Analytic Methods in Stochastic Modeling*. Society for Industrial and Applied Mathematics, Philadelphia, PA, pp. 33–60. <https://doi.org/http://dx.doi.org/10.1137/1.9780898719734>
- [23] LATOUCHE G & RAMASWAMI V. 1999b. *Introduction to Matrix Analytic Methods in Stochastic Modeling*, 1st ed. Society for Industrial and Applied Mathematics, Philadelphia, PA. <https://doi.org/http://dx.doi.org/10.1137/1.9780898719734>
- [24] LAU H.-S & MARTIN G E. 1987. The effects of skewness and kurtosis of processing times in unpaced lines. *Int. J. Prod. Res.* **25**: 1483–1492. <https://doi.org/10.1080/00207548708919927>
- [25] LAW A. 2014. *Simulation Modeling and Analysis*, 5th ed. McGraw-Hill, New York.
- [26] LEMOINE A J. 1976. On Random Walks and Stable GI/G/1 Queues. *Math. Oper. Res.* **1**: 159–164.
- [27] MYSKJA A. 1990. On approximations for the GI/GI/1 queue. *Comput. Networks ISDN Syst.* **20**: 285–295. [https://doi.org/http://dx.doi.org/10.1016/0169-7552\(90\)90037-S](https://doi.org/http://dx.doi.org/10.1016/0169-7552(90)90037-S)
- [28] POWELL S G & PYKE D F. 1994. An empirical investigation of the two-moment approximation for production lines. *Int. J. Prod. Res.* **32**: 1137–1157. <https://doi.org/10.1080/00207549408956992>

- [29] ROMERO-SILVA R, HURTADO M & SANTOS J. 2016. Is the scheduling task context-dependent? A survey investigating the presence of constraints in different manufacturing contexts. *Prod. Plan. Control* **27**: 753–760. <https://doi.org/10.1080/09537287.2016.1166274>
- [30] ROMERO-SILVA R, MARSILLAC E, SHAABAN S & HURTADO-HERNÁNDEZ M. 2019. Reducing the variability of inter-departure times of a single-server queueing system – The effects of skewness. *Comput. Ind. Eng.* **135**: 500–517. <https://doi.org/10.1016/j.cie.2019.06.030>
- [31] SAHIN I & PERRAKIS S. 1976. Moment Inequalities For A Class Of Single Server Queues. *INFOR Inf. Syst. Oper. Res.* **14**: 144–152. <https://doi.org/10.1080/03155986.1976.11731634>
- [32] SLACK N. 1982. *Work time distributions in production system modelling*. <https://doi.org/10.1002/9781118785317.weom100178>
- [33] TARASOV V N. 2016. Analysis of queues with hyperexponential arrival distributions. *Probl. Inf. Transm.* **52**: 14–23. <https://doi.org/10.1134/S0032946016010038>
- [34] TERSINE R J & HUMMINGBIRD E A. 1995. Lead-time reduction: the search for competitive advantage. *Int. J. Oper. Prod. Manag.* **15**:, 8–18. <https://doi.org/10.1108/01443579510080382>
- [35] THE R FOUNDATION. 2019. *The R Project for Statistical Computing* [WWW Document]. URL <https://www.r-project.org/foundation/> (accessed 1/1/20).
- [36] WELCH P D. 1983. The Statistical Analysis of Simulation Results. In: Lavenberg S S. (Ed.), *The Computer Performance Modeling Handbook*. Academic Press, New York, pp. 268–328.
- [37] WHITT W. 1989. An Interpolation Approximation for the Mean Workload in a GI/G/1 Queue. *Oper. Res.* **37**: 936–952. <https://doi.org/10.1287/opre.37.6.936>
- [38] WHITT W. 1984a. On approximations for queues, III: Mixtures of exponential distributions. *AT&T Bell Lab. Tech. J.* **63**: 163–175. <https://doi.org/10.1002/j.1538-7305.1984.tb00007.x>
- [39] WHITT W. 1984b. Minimizing Delays in the GI/G/1 Queue. *Oper. Res.* **32**: 41–51. <https://doi.org/10.1287/opre.32.1.41>
- [40] WOLFF R W. 1970. Work-Conserving Priorities. *J. Appl. Probab.* **7**: 327–337. <https://doi.org/10.2307/3211968>
- [41] WU K, SRIVATHSAN S & SHEN Y. 2018. Three-moment approximation for the mean queue time of a GI/G/1 queue. *IIE Trans.* **50**: 63–73. <https://doi.org/10.1080/24725854.2017.1357216>

- [42] WU K, ZHOU Y & ZHAO N. 2016. Variability and the fundamental properties of production lines. *Comput. Ind. Eng.* **99**: 364–371. <https://doi.org/https://doi.org/10.1016/j.cie.2016.04.014>
- [43] YANG F, ANKENMAN B E & NELSON B L. 2008. Estimating Cycle Time Percentile Curves for Manufacturing Systems via Simulation. *INFORMS J. Comput.* **20**: 628–643. <https://doi.org/10.1287/ijoc.1080.0272>

How to cite

ROMERO-SILVA R, SHAABAN S, MARSILLAC E & HURTADO-HERNANDEZ M. 2020. Studying the effects of the skewness of inter-arrival and service times on the probability distribution of waiting times. *Pesquisa Operacional*, **40**: e223190. doi: 10.1590/0101-7438.2020.040.00223190.

APPENDIX

Table A1 – Experimental values for the study's experiments
(see Table A2 for the variables' abbreviations).

Exp.	IG ID	a _A	m _A	b _A	γ _A	μ _A	σ _A	CV _A	ρ	μ _S	σ _S	CV _S	a _S	m _S	b _S	γ _S
1	A	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.13	0.49	0.49	-0.57
2	A	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.16	0.37	0.57	0.00
3	A	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.25	0.25	0.61	0.57
4	A	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.13	0.49	0.49	-0.57
5	A	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.16	0.37	0.57	0.00
6	A	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.25	0.25	0.61	0.57
7	A	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.13	0.49	0.49	-0.57
8	A	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.16	0.37	0.57	0.00
9	A	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.10	0.37	0.08	0.23	0.25	0.25	0.61	0.57
10	B	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.25	0.97	0.97	-0.57
11	B	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.32	0.73	1.15	0.00
12	B	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.49	0.49	1.21	0.57
13	B	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.25	0.97	0.97	-0.57
14	B	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.32	0.73	1.15	0.00
15	B	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.49	0.49	1.21	0.57
16	B	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.25	0.97	0.97	-0.57
17	B	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.32	0.73	1.15	0.00
18	B	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.20	0.73	0.17	0.23	0.49	0.49	1.21	0.57
19	C	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.38	1.46	1.46	-0.57
20	C	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.48	1.10	1.72	0.00
21	C	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.74	0.74	1.82	0.57
22	C	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.38	1.46	1.46	-0.57
23	C	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.48	1.10	1.72	0.00
24	C	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.74	0.74	1.82	0.57
25	C	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.38	1.46	1.46	-0.57
26	C	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.48	1.10	1.72	0.00
27	C	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.30	1.10	0.25	0.23	0.74	0.74	1.82	0.57
28	D	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.51	1.95	1.95	-0.57
29	D	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.63	1.47	2.30	0.00
30	D	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.99	0.99	2.43	0.57
31	D	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.51	1.95	1.95	-0.57
32	D	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.63	1.47	2.30	0.00
33	D	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.99	0.99	2.43	0.57
34	D	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.51	1.95	1.95	-0.57
35	D	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.63	1.47	2.30	0.00
36	D	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.40	1.47	0.34	0.23	0.99	0.99	2.43	0.57
37	E	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.63	2.43	2.43	-0.57
38	E	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.79	1.83	2.87	0.00
39	E	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.50	1.83	0.42	0.23	1.23	1.23	3.04	0.57
40	E	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.63	2.43	2.43	-0.57
41	E	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.79	1.83	2.87	0.00
42	E	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.50	1.83	0.42	0.23	1.23	1.23	3.04	0.57
43	E	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.63	2.43	2.43	-0.57
44	E	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.50	1.83	0.42	0.23	0.79	1.83	2.87	0.00
45	E	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.50	1.83	0.42	0.23	1.23	1.23	3.04	0.57
46	F	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.76	2.92	2.92	-0.57
47	F	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.95	2.20	3.45	0.00
48	F	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.60	2.20	0.51	0.23	1.48	1.48	3.64	0.57
49	F	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.76	2.92	2.92	-0.57
50	F	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.95	2.20	3.45	0.00
51	F	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.60	2.20	0.51	0.23	1.48	1.48	3.64	0.57
52	F	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.76	2.92	2.92	-0.57
53	F	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.60	2.20	0.51	0.23	0.95	2.20	3.45	0.00
54	F	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.60	2.20	0.51	0.23	1.48	1.48	3.64	0.57
55	G	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.70	2.57	0.59	0.23	0.88	3.41	3.41	-0.57
56	G	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.11	2.57	4.02	0.00
57	G	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.73	1.73	4.25	0.57
58	G	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.70	2.57	0.59	0.23	0.88	3.41	3.41	-0.57
59	G	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.11	2.57	4.02	0.00
60	G	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.73	1.73	4.25	0.57
61	G	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.70	2.57	0.59	0.23	0.88	3.41	3.41	-0.57
62	G	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.11	2.57	4.02	0.00
63	G	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.70	2.57	0.59	0.23	1.73	1.73	4.25	0.57
64	H	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.01	3.89	3.89	-0.57
65	H	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.27	2.93	4.60	0.00
66	H	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.97	1.97	4.86	0.57
67	H	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.01	3.89	3.89	-0.57
68	H	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.27	2.93	4.60	0.00
69	H	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.97	1.97	4.86	0.57
70	H	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.01	3.89	3.89	-0.57

Table A1 - continuation

Exp.	IG ID	a_A	m_A	b_A	γ_A	μ_A	σ_A	CV_A	ρ	μ_S	σ_S	CV_S	a_S	m_S	b_S	γ_S
71	H	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.27	2.93	4.60	0.00
72	H	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.80	2.93	0.68	0.23	1.97	1.97	4.86	0.57
73	I	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.07	4.14	4.14	-0.57
74	I	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.35	3.12	4.89	0.00
75	I	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.85	3.12	0.72	0.23	2.10	2.10	5.16	0.57
76	I	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.07	4.14	4.14	-0.57
77	I	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.35	3.12	4.89	0.00
78	I	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.85	3.12	0.72	0.23	2.10	2.10	5.16	0.57
79	I	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.07	4.14	4.14	-0.57
80	I	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.85	3.12	0.72	0.23	1.35	3.12	4.89	0.00
81	I	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.85	3.12	0.72	0.23	2.10	2.10	5.16	0.57
82	J	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.14	4.38	4.38	-0.57
83	J	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.43	3.30	5.17	0.00
84	J	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.90	3.30	0.76	0.23	2.22	2.22	5.46	0.57
85	J	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.14	4.38	4.38	-0.57
86	J	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.43	3.30	5.17	0.00
87	J	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.90	3.30	0.76	0.23	2.22	2.22	5.46	0.57
88	J	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.14	4.38	4.38	-0.57
89	J	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.90	3.30	0.76	0.23	1.43	3.30	5.17	0.00
90	J	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.90	3.30	0.76	0.23	2.22	2.22	5.46	0.57
91	K	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.20	4.63	4.63	-0.57
92	K	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.51	3.48	5.46	0.00
93	K	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.95	3.48	0.81	0.23	2.34	2.34	5.77	0.57
94	K	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.20	4.63	4.63	-0.57
95	K	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.51	3.48	5.46	0.00
96	K	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.95	3.48	0.81	0.23	2.34	2.34	5.77	0.57
97	K	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.20	4.63	4.63	-0.57
98	K	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.95	3.48	0.81	0.23	1.51	3.48	5.46	0.00
99	K	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.95	3.48	0.81	0.23	2.34	2.34	5.77	0.57
100	L	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.23	4.72	4.72	-0.57
101	L	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.54	3.56	5.58	0.00
102	L	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.97	3.56	0.82	0.23	2.39	2.39	5.89	0.57
103	L	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.23	4.72	4.72	-0.57
104	L	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.54	3.56	5.58	0.00
105	L	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.97	3.56	0.82	0.23	2.39	2.39	5.89	0.57
106	L	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.23	4.72	4.72	-0.57
107	L	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.97	3.56	0.82	0.23	1.54	3.56	5.58	0.00
108	L	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.97	3.56	0.82	0.23	2.39	2.39	5.89	0.57
109	M	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.25	4.82	4.82	-0.57
110	M	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.57	3.63	5.69	0.00
111	M	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.99	3.63	0.84	0.23	2.44	2.44	6.01	0.57
112	M	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.25	4.82	4.82	-0.57
113	M	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.57	3.63	5.69	0.00
114	M	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.99	3.63	0.84	0.23	2.44	2.44	6.01	0.57
115	M	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.25	4.82	4.82	-0.57
116	M	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.99	3.63	0.84	0.23	1.57	3.63	5.69	0.00
117	M	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.99	3.63	0.84	0.23	2.44	2.44	6.01	0.57
118	N	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.24	4.77	4.77	-0.57
119	N	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.55	3.59	5.63	0.00
120	N	1.26	4.87	4.87	-0.57	3.67	0.85	0.23	0.98	3.59	0.83	0.23	2.42	2.42	5.95	0.57
121	N	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.24	4.77	4.77	-0.57
122	N	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.55	3.59	5.63	0.00
123	N	1.59	3.67	5.75	0.00	3.67	0.85	0.23	0.98	3.59	0.83	0.23	2.42	2.42	5.95	0.57
124	N	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.24	4.77	4.77	-0.57
125	N	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.98	3.59	0.83	0.23	1.55	3.59	5.63	0.00
126	N	2.00	3.00	6.00	0.42	3.67	0.85	0.23	0.98	3.59	0.83	0.23	2.42	2.42	5.95	0.57
127	O	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.00	0.30	0.40	-0.42
128	O	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.03	0.23	0.44	0.00
129	O	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.07	0.17	0.47	0.42
130	O	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.00	0.30	0.40	-0.42
131	O	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.03	0.23	0.44	0.00
132	O	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.07	0.17	0.47	0.42
133	O	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.00	0.30	0.40	-0.42
134	O	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.03	0.23	0.44	0.00
135	O	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.10	0.23	0.08	0.36	0.07	0.17	0.47	0.42
136	P	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.00	0.60	0.80	-0.42
137	P	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.05	0.47	0.88	0.00
138	P	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.13	0.33	0.93	0.42
139	P	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.00	0.60	0.80	-0.42
140	P	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.05	0.47	0.88	0.00
141	P	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.13	0.33	0.93	0.42
142	P	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.00	0.60	0.80	-0.42
143	P	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.05	0.47	0.88	0.00
144	P	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.20	0.47	0.17	0.36	0.13	0.33	0.93	0.42
145	Q	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.00	0.90	1.20	-0.42

Table A1 - continuation

Exp.	IG ID	a_A	m_A	b_A	γ_A	μ_A	σ_A	CV_A	ρ	μ_S	σ_S	CV_S	a_S	m_S	b_S	γ_S
146	Q	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.08	0.70	1.32	0.00
147	Q	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.20	0.50	1.40	0.42
148	Q	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.00	0.90	1.20	-0.42
149	Q	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.08	0.70	1.32	0.00
150	Q	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.20	0.50	1.40	0.42
151	Q	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.00	0.90	1.20	-0.42
152	Q	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.08	0.70	1.32	0.00
153	Q	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.30	0.70	0.25	0.36	0.20	0.50	1.40	0.42
154	R	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.00	1.20	1.60	-0.42
155	R	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.10	0.93	1.77	0.00
156	R	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.27	0.67	1.87	0.42
157	R	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.00	1.20	1.60	-0.42
158	R	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.10	0.93	1.77	0.00
159	R	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.27	0.67	1.87	0.42
160	R	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.00	1.20	1.60	-0.42
161	R	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.10	0.93	1.77	0.00
162	R	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.40	0.93	0.34	0.36	0.27	0.67	1.87	0.42
163	S	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.00	1.50	2.00	-0.42
164	S	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.13	1.17	2.21	0.00
165	S	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.33	0.83	2.33	0.42
166	S	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.00	1.50	2.00	-0.42
167	S	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.13	1.17	2.21	0.00
168	S	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.33	0.83	2.33	0.42
169	S	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.00	1.50	2.00	-0.42
170	S	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.13	1.17	2.21	0.00
171	S	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.50	1.17	0.42	0.36	0.33	0.83	2.33	0.42
172	T	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.00	1.80	2.40	-0.42
173	T	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.15	1.40	2.65	0.00
174	T	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.40	1.00	2.80	0.42
175	T	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.00	1.80	2.40	-0.42
176	T	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.15	1.40	2.65	0.00
177	T	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.40	1.00	2.80	0.42
178	T	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.00	1.80	2.40	-0.42
179	T	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.15	1.40	2.65	0.00
180	T	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.60	1.40	0.51	0.36	0.40	1.00	2.80	0.42
181	U	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.00	2.10	2.80	-0.42
182	U	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.18	1.63	3.09	0.00
183	U	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.47	1.17	3.27	0.42
184	U	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.00	2.10	2.80	-0.42
185	U	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.18	1.63	3.09	0.00
186	U	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.47	1.17	3.27	0.42
187	U	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.00	2.10	2.80	-0.42
188	U	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.18	1.63	3.09	0.00
189	U	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.70	1.63	0.59	0.36	0.47	1.17	3.27	0.42
190	V	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.00	2.40	3.20	-0.42
191	V	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.20	1.87	3.53	0.00
192	V	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.53	1.33	3.73	0.42
193	V	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.00	2.40	3.20	-0.42
194	V	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.20	1.87	3.53	0.00
195	V	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.53	1.33	3.73	0.42
196	V	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.00	2.40	3.20	-0.42
197	V	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.20	1.87	3.53	0.00
198	V	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.80	1.87	0.68	0.36	0.53	1.33	3.73	0.42
199	W	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.00	2.55	3.40	-0.42
200	W	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.21	1.98	3.75	0.00
201	W	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.57	1.42	3.97	0.42
202	W	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.00	2.55	3.40	-0.42
203	W	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.21	1.98	3.75	0.00
204	W	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.57	1.42	3.97	0.42
205	W	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.00	2.55	3.40	-0.42
206	W	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.21	1.98	3.75	0.00
207	W	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.85	1.98	0.72	0.36	0.57	1.42	3.97	0.42
208	X	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.00	2.70	3.60	-0.42
209	X	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.23	2.10	3.97	0.00
210	X	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.60	1.50	4.20	0.42
211	X	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.00	2.70	3.60	-0.42
212	X	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.23	2.10	3.97	0.00
213	X	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.60	1.50	4.20	0.42
214	X	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.00	2.70	3.60	-0.42
215	X	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.23	2.10	3.97	0.00
216	X	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.90	2.10	0.76	0.36	0.60	1.50	4.20	0.42
217	Y	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.00	2.85	3.80	-0.42
218	Y	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.24	2.22	4.19	0.00
219	Y	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.63	1.58	4.43	0.42
220	Y	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.00	2.85	3.80	-0.42

Table A1 - continuation

Exp.	IG ID	a_A	m_A	b_A	γ_A	μ_A	σ_A	CV_A	ρ	μ_S	σ_S	CV_S	a_S	m_S	b_S	γ_S
221	Y	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.24	2.22	4.19	0.00
222	Y	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.63	1.58	4.43	0.42
223	Y	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.00	2.85	3.80	-0.42
224	Y	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.24	2.22	4.19	0.00
225	Y	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.95	2.22	0.81	0.36	0.63	1.58	4.43	0.42
226	Z	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.00	2.91	3.88	-0.42
227	Z	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.24	2.26	4.28	0.00
228	Z	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.65	1.62	4.53	0.42
229	Z	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.00	2.91	3.88	-0.42
230	Z	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.24	2.26	4.28	0.00
231	Z	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.65	1.62	4.53	0.42
232	Z	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.00	2.91	3.88	-0.42
233	Z	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.24	2.26	4.28	0.00
234	Z	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.97	2.26	0.82	0.36	0.65	1.62	4.53	0.42
235	ZA	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.00	2.94	3.92	-0.42
236	ZA	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.25	2.29	4.33	0.00
237	ZA	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.65	1.63	4.57	0.42
238	ZA	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.00	2.94	3.92	-0.42
239	ZA	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.25	2.29	4.33	0.00
240	ZA	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.65	1.63	4.57	0.42
241	ZA	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.00	2.94	3.92	-0.42
242	ZA	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.25	2.29	4.33	0.00
243	ZA	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.98	2.29	0.83	0.36	0.65	1.63	4.57	0.42
244	ZB	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.00	2.97	3.96	-0.42
245	ZB	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.25	2.31	4.37	0.00
246	ZB	0.00	3.00	4.00	-0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.66	1.65	4.62	0.42
247	ZB	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.00	2.97	3.96	-0.42
248	ZB	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.25	2.31	4.37	0.00
249	ZB	0.25	2.33	4.41	0.00	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.66	1.65	4.62	0.42
250	ZB	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.00	2.97	3.96	-0.42
251	ZB	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.25	2.31	4.37	0.00
252	ZB	0.67	1.67	4.67	0.42	2.33	0.85	0.36	0.99	2.31	0.84	0.36	0.66	1.65	4.62	0.42

Table A2 – Abbreviations used in Table A1.

Abbreviation	Variable	Abbreviation	Variable
Exp.	Experiment number	ρ	Utilization of the server
IG ID	Intra-group identification	μ_S	Mean service time
a_A	Minimum value in the triangular distribution of inter-arrival times	σ_S	Service time variance
m_A	Mode in the triangular distribution of inter-arrival times	CV_S	Service time coefficient of variation
b_A	Maximum value in the triangular distribution of inter-arrival times	a_S	Minimum value in the triangular distribution of service times
γ_A	Inter-arrival time skewness	m_S	Mode in the triangular distribution of service times
μ_A	Mean inter-arrival time	b_S	Maximum value in the triangular distribution of service times
σ_A	Inter-arrival time variance	γ_S	Service time skewness
CV_A	Inter-arrival time coefficient of variation		

Table A3 – Results regarding W , γ_W and $PW0$ for experiments with $\rho \geq 0.5$.

Response	CV	γ_A	γ_S	ρ									
				0.50	0.60	0.70	0.80	0.85	0.90	0.95	0.97	0.98	0.99
W	0.2318	-1	1	0.0151	0.0509	0.1416	0.3875	0.6716	1.2898	3.2088	5.8111	9.0307	18.7106
W	0.2318	-1	0	0.0138	0.0481	0.1354	0.3728	0.6504	1.2585	3.1835	5.7978	8.9753	18.5740
W	0.2318	-1	-1	0.0126	0.0454	0.1290	0.3583	0.6284	1.2189	3.1366	5.7874	8.9392	18.5673
W	0.2318	0	1	0.0081	0.0359	0.1176	0.3550	0.6362	1.2383	3.1182	5.7672	8.9376	18.5593
W	0.2318	0	0	0.0067	0.0323	0.1096	0.3386	0.6160	1.2164	3.1028	5.7036	8.9306	18.5553
W	0.2318	0	-1	0.0053	0.0287	0.1014	0.3291	0.5914	1.1876	3.1267	5.6976	8.9284	18.3799
W	0.2318	1	1	0.0032	0.0241	0.0989	0.3217	0.6091	1.2118	3.1041	5.6958	8.8984	17.9690
W	0.2318	1	0	0.0020	0.0193	0.0884	0.3115	0.5869	1.1896	3.1068	5.6622	8.8592	17.8611
W	0.2318	1	-1	0.0008	0.0141	0.0779	0.2959	0.5669	1.1634	3.0541	5.6017	8.7935	17.8563
W	0.3642	-1	1	0.0835	0.1729	0.3583	0.7931	1.2686	2.2656	5.3181	9.4550	14.6379	28.4957
W	0.3642	-1	0	0.0819	0.1693	0.3506	0.7785	1.2470	2.2381	5.3968	9.4286	14.5772	28.2157
W	0.3642	-1	-1	0.0802	0.1653	0.3421	0.7622	1.2339	2.1976	5.1869	9.4020	14.5024	27.7617
W	0.3642	0	1	0.0649	0.1489	0.3312	0.7617	1.2464	2.2206	5.2080	9.3660	14.4305	27.4010
W	0.3642	0	0	0.0628	0.1445	0.3218	0.7475	1.2243	2.2078	5.2466	9.3278	14.3473	27.3867
W	0.3642	0	-1	0.0609	0.1400	0.3126	0.7333	1.2099	2.1941	5.2099	9.2846	14.3320	26.6839
W	0.3642	1	1	0.0443	0.1230	0.3015	0.7326	1.2072	2.1874	5.1856	9.2485	14.3163	26.4135
W	0.3642	1	0	0.0411	0.1174	0.2922	0.7211	1.1937	2.1694	5.2029	9.2420	13.9344	26.0665
W	0.3642	1	-1	0.0378	0.1117	0.2839	0.7058	1.1825	2.1450	5.1511	9.1872	13.8578	25.3369
γ_W	0.2318	1	-1	18.3392	6.6158	3.7333	2.6100	2.3284	2.1151	1.8588	1.6433	1.4570	1.0597
γ_W	0.2318	1	0	15.3695	6.6370	3.8928	2.7020	2.3862	2.1021	1.8438	1.6393	1.4493	1.0469
γ_W	0.2318	1	1	13.4282	6.3375	3.8832	2.7642	2.4036	2.1050	1.8252	1.6384	1.4046	1.0453
γ_W	0.2318	0	-1	10.1765	5.6561	3.7423	2.6987	2.3893	2.1050	1.8162	1.6242	1.4031	1.0220
γ_W	0.2318	0	0	10.3953	5.8710	3.8422	2.7762	2.4184	2.1511	1.8131	1.6014	1.4018	1.0194
γ_W	0.2318	0	1	10.0456	5.8431	3.8714	2.7950	2.4366	2.1583	1.8023	1.5929	1.3979	1.0162
γ_W	0.2318	-1	-1	7.8316	5.0776	3.6342	2.7491	2.3826	2.1196	1.7985	1.5870	1.3976	1.0092
γ_W	0.2318	-1	0	8.1641	5.2423	3.7109	2.7752	2.4180	2.1523	1.7982	1.5862	1.3954	1.0083
γ_W	0.2318	-1	1	8.2116	5.3073	3.7493	2.8247	2.4624	2.1763	1.7858	1.5832	1.3764	0.9843
γ_W	0.3642	1	-1	4.7035	3.3753	2.6407	2.2302	2.0948	1.9478	1.6718	1.4045	1.1885	0.8111
γ_W	0.3642	1	0	4.8006	3.4622	2.6945	2.2696	2.0881	1.9310	1.6656	1.3894	1.1667	0.7973
γ_W	0.3642	1	1	4.8089	3.4944	2.7333	2.2832	2.1076	1.9306	1.6627	1.3863	1.1660	0.7890
γ_W	0.3642	0	-1	4.3426	3.3719	2.7303	2.3116	2.0674	1.9034	1.6567	1.3758	1.1568	0.7733
γ_W	0.3642	0	0	4.4250	3.4169	2.7451	2.3080	2.1664	1.9020	1.6469	1.3707	1.1452	0.7468
γ_W	0.3642	0	1	4.4965	3.4506	2.7823	2.3241	2.1097	1.8987	1.6444	1.3689	1.1310	0.7443
γ_W	0.3642	-1	-1	4.1015	3.3213	2.7414	2.2925	2.0987	1.8925	1.6434	1.3676	1.1299	0.7405
γ_W	0.3642	-1	0	4.1735	3.3508	2.7577	2.3025	2.1071	1.8869	1.6039	1.3651	1.1289	0.7263
γ_W	0.3642	-1	1	4.2102	3.3762	2.7977	2.3023	2.1199	1.8711	1.5984	1.3393	1.1169	0.7016
PW0	0.2318	1	0	0.9928	0.9428	0.8219	0.6291	0.5044	0.3583	0.1907	0.1176	0.0790	0.0408
PW0	0.2318	1	1	0.9885	0.9373	0.8234	0.6361	0.5116	0.3651	0.1946	0.1209	0.0825	0.0420
PW0	0.2318	1	1	0.9849	0.9319	0.8227	0.6424	0.5196	0.3735	0.2014	0.1241	0.0848	0.0437
PW0	0.2318	0	-1	0.9763	0.9221	0.8179	0.6375	0.5136	0.3660	0.1934	0.1213	0.0808	0.0421
PW0	0.2318	0	0	0.9747	0.9202	0.8155	0.6391	0.5176	0.3721	0.2004	0.1252	0.0853	0.0441
PW0	0.2318	0	1	0.9728	0.9184	0.8137	0.6403	0.5212	0.3775	0.2059	0.1271	0.0882	0.0448
PW0	0.2318	-1	-1	0.9599	0.9033	0.8064	0.6421	0.5249	0.3790	0.2020	0.1236	0.0852	0.0425
PW0	0.2318	-1	0	0.9594	0.9024	0.8046	0.6407	0.5243	0.3797	0.2055	0.1274	0.0866	0.0436
PW0	0.2318	-1	1	0.9589	0.9016	0.8030	0.6394	0.5239	0.3816	0.2099	0.1310	0.0879	0.0458
PW0	0.3642	1	-1	0.8845	0.7751	0.6326	0.4577	0.3559	0.2467	0.1289	0.0793	0.0539	0.0287
PW0	0.3642	1	0	0.8830	0.7775	0.6373	0.4623	0.3642	0.2513	0.1323	0.0851	0.0531	0.0317
PW0	0.3642	1	1	0.8843	0.7795	0.6395	0.4702	0.3640	0.2569	0.1400	0.0789	0.0624	0.0333
PW0	0.3642	0	-1	0.8642	0.7701	0.6368	0.4626	0.3579	0.2464	0.1252	0.0748	0.0483	0.0244
PW0	0.3642	0	0	0.8628	0.7690	0.6377	0.4658	0.3659	0.2504	0.1282	0.0809	0.0466	0.0261
PW0	0.3642	0	1	0.8639	0.7685	0.6360	0.4709	0.3638	0.2538	0.1345	0.0750	0.0560	0.0257
PW0	0.3642	-1	-1	0.8503	0.7641	0.6413	0.4735	0.3702	0.2566	0.1331	0.0801	0.0542	0.0284
PW0	0.3642	-1	0	0.8489	0.7632	0.6404	0.4740	0.3753	0.2589	0.1346	0.0858	0.0518	0.0289
PW0	0.3642	-1	1	0.8502	0.7624	0.6380	0.4769	0.3712	0.2617	0.1403	0.0794	0.0606	0.0280

Table A4 – Duncan's test statistical groups regarding W , γ_W and $PW0$ for experiments with $\rho \geq 0.5$

Response	CV	γ_A	γ_S	ρ									
				0.50	0.60	0.70	0.80	0.85	0.90	0.95	0.97	0.98	0.99
W	0.2318	-1	1	a	a	a	a	a	a	a	a	a	a
W	0.2318	-1	0	b	b	b	b	b	b	ab	a	a	a
W	0.2318	-1	-1	c	c	c	c	d	d	bc	a	a	a
W	0.2318	0	1	d	d	d	d	c	c	bcd	a	a	a
W	0.2318	0	0	e	e	e	e	e	d	cd	a	a	a
W	0.2318	0	-1	f	f	f	f	g	e	bcd	a	a	a
W	0.2318	1	1	g	g	g	g	f	d	cd	a	a	a
W	0.2318	1	0	h	h	h	h	g	e	cd	a	a	a
W	0.2318	1	-1	i	i	i	i	h	f	d	a	a	a

Table A4 - continuation

Response	CV	γ_A	γ_S	ρ									
				0.50	0.60	0.70	0.80	0.85	0.90	0.95	0.97	0.98	0.99
W	0.3642	-1	1	a	a	a	a	a	a	ab	a	a	a
W	0.3642	-1	0	b	b	b	b	b	ab	a	a	a	a
W	0.3642	-1	-1	c	c	c	c	bc	bcd	b	a	a	a
W	0.3642	0	1	d	d	d	c	b	bc	b	a	a	a
W	0.3642	0	0	e	e	e	d	cd	bcd	ab	a	a	a
W	0.3642	0	-1	f	f	f	e	de	cd	b	a	a	a
W	0.3642	1	1	g	g	g	e	ef	cd	b	a	a	a
W	0.3642	1	0	h	h	h	f	fg	de	b	a	a	a
W	0.3642	1	-1	i	i	i	g	g	e	b	a	a	a
γ_W	0.2318	1	-1	a	a	c	d	c	ab	a	a	a	a
γ_W	0.2318	1	0	b	a	a	c	b	b	a	a	a	a
γ_W	0.2318	1	1	c	b	ab	b	b	ab	a	a	a	a
γ_W	0.2318	0	-1	e	d	c	c	b	ab	a	a	a	a
γ_W	0.2318	0	0	d	c	b	b	ab	ab	a	a	a	a
γ_W	0.2318	0	1	e	c	ab	ab	ab	ab	a	a	a	a
γ_W	0.2318	-1	-1	g	g	d	b	b	ab	a	a	a	a
γ_W	0.2318	-1	0	f	f	c	b	ab	ab	a	a	a	a
γ_W	0.2318	-1	1	f	e	c	a	a	a	a	a	a	a
γ_W	0.3642	1	-1	b	d	d	b	b	a	a	a	a	a
γ_W	0.3642	1	0	a	ab	c	ab	b	a	a	a	a	a
γ_W	0.3642	1	1	a	a	bc	ab	ab	a	a	a	a	a
γ_W	0.3642	0	-1	e	d	bc	a	b	a	a	a	a	a
γ_W	0.3642	0	0	d	c	bc	a	a	a	a	a	a	a
γ_W	0.3642	0	1	c	bc	ab	a	ab	a	a	a	a	a
γ_W	0.3642	-1	-1	g	e	bc	a	ab	a	a	a	a	a
γ_W	0.3642	-1	0	f	de	ab	a	ab	a	a	a	a	a
γ_W	0.3642	-1	1	f	d	a	a	ab	a	a	a	a	a
PW0	0.2318	1	-1	a	a	b	f	f	f	e	f	f	c
PW0	0.2318	1	0	b	b	a	e	e	e	d	e	de	bc
PW0	0.2318	1	1	c	c	ab	a	b	d	c	c	cd	abc
PW0	0.2318	0	-1	d	d	c	e	d	e	d	de	ef	bc
PW0	0.2318	0	0	e	e	d	d	c	d	c	bc	bcd	ab
PW0	0.2318	0	1	f	f	e	cd	b	c	b	b	a	ab
PW0	0.2318	-1	-1	g	g	f	ab	a	bc	c	cd	bcd	bc
PW0	0.2318	-1	0	h	h	g	bc	a	ab	b	b	abc	abc
PW0	0.2318	-1	1	i	i	h	cd	a	a	a	a	ab	a
PW0	0.3642	1	-1	a	c	e	f	d	e	c	b	bc	bc
PW0	0.3642	1	0	b	b	cd	e	c	d	b	a	bc	a
PW0	0.3642	1	1	a	a	b	c	c	b	a	b	a	a
PW0	0.3642	0	-1	c	d	cd	e	d	e	d	c	d	e
PW0	0.3642	0	0	d	e	c	d	c	d	c	b	d	cde
PW0	0.3642	0	1	c	e	d	c	c	c	b	c	b	de
PW0	0.3642	-1	-1	e	f	a	b	b	b	b	b	bc	bc
PW0	0.3642	-1	0	f	fg	ab	b	a	b	b	a	c	b
PW0	0.3642	-1	1	e	g	c	a	b	a	a	b	a	bcd




Figure A1 – Plot of the effect of the interaction between γ_A and γ_S on PW0.